SAFETY DATA SHEET

SoChlor[®] DST(1.7g NaDCC) MFB256, MFB294

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ **UNDERTAKING**

1.1. **Product identifier**

> Trade name: Product no.: UFI: EC-no.:

SoChlor DST (1.7g NaDCC) MFB256, MFB294 XD3R-YS06-YAP0-0KTS 220-767-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: Disinfectant Use descriptors (UK REACH):

Product category	Description
	Biocidal Products (e.g. Disinfectants, pest control)

Uses advised against :

Details of the supplier of the safety data sheet 1.3.

Company and address:

E-mail:

Revision:

SDS Version:

None known.

GV Health Ltd. Hall House, 2 Arlington Court, Whittle Way, Arlington Business Park, Stevenage, Hertfordshire, United Kingdom T: 01920 463 098 support@gvhealth.com 16/01/2023 3.0 11/01/2023 (2.0)

1.4. **Emergency telephone number**

Date of previous version:

UK: Contact The National Poisons Information Service (dial 111, 24 h service). Ireland: Poisons Information: Contact The National Poisons Information Centre (01 8092166). See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Eve Irrit. (Cat 2; H319) STOT SE (Cat 3; H335) Aquatic Acute (Cat 1; H400) Aquatic Chronic (Cat 1; H410)

2.2. Label elements

Hazard pictogram(s):

Signal word: Hazard statement(s):

Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.



Warning Causes serious eye irritation. (H319)

PCS No. 101199



	May cause respiratory irritation. (H335) Very toxic to aquatic life with long lasting effects. (H410)
Safety statement(s):	
▼ General:	If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)
▼ Prevention:	Wash hands thoroughly after handling. (P264) Wear protective gloves/protective clothing/eye protection/face protection. (P280) Use only outdoors or in a well-ventilated area. (P271) Avoid release to the environment. (P273)
▼ Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) If eye irritation persists: Get medical advice/attention. (P337+P313) Collect spillage. (P391)
▼ Storage:	Store locked up. (P405) Store in a dry place. Store in a closed container. (P402+P404)
Disposal:	Dispose of contents/container in accordance with local regulation. (P501)
Hazardous substances:	Troclosene sodium Sodium dodecylbenzenesulfonate
Additional labelling:	EUH031, Contact with acids liberates toxic gas. EUH206, Warning! Do not use together with other products. May release dangerous gases (chlorine). Active substance(s): Troclosene sodium (53 g/100g)
Other hazards	
Additional warnings:	This mixture/product does not contain any substances considered to meet the criteria

substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

2.3.

Not applicable. This product is a mixture.



3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Troclosene sodium	CAS No.: 2893-78-9 EC No.: 220-767-7 UK-REACH: EU 01- 2119489371-33-XXXX Index No.: 613-030-01-7	40-60%	EUH031 Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
Adipic acid	CAS No.: 124-04-9 EC No.: 204-673-3 UK-REACH: Index No.: 607-144-00-9	15-25%	Eye Irrit. 2, H319	
Sodium carbonate	CAS No.: 497-19-8 EC No.: 207-838-8 UK-REACH: EU 01- 2119485498-19-XXXX Index No.: 011-005-00-2	3-5%	Eye Irrit. 2, H319	
Sodium dodecylbenzenesulfonate	CAS No.: 25155-30-0 EC No.: 246-680-4 UK-REACH: EU 01- 2120088038-51-XXXX Index No.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

_

SECTION 4: FIRST AID MEASURES

4.1.	Description of first aid measures	
	General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
	Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
	Skin contact:	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
	Eye contact:	Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops.

Ingestion:



Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed If eye irritation persists: Get medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Carbon oxides (CO / CO2) Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: 2Z

Hazchem Code: 22

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Ensure suitable respiratory protection is worn during removal of spillages in confined areas. Avoid inhalation of dust and contact with skin and eyes. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.



6.3. Methods and material for containment and cleaning up

Minor spills are collected with a cloth. Collection and disposal of the material shall be done with minimum creation of dust. Sweep and collect. Shall be contained in suitable and tightly closed disposal containers.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material:	Keep only in original packaging.
Storage temperature:	Ambient temperature and humidity, in original packaging securely closed
Incompatible materials:	Will not polymerise. The following materials may react with the product: Acids. Alkalis. Organic nitro compounds. Amines. Oxidising agents. Reducing agents. Moisture. Peroxides. Contact with acids liberates toxic gas. Under normal conditions of storage and use, no hazardous reactions will occur.
Spacific and usa(s)	

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Adipic acid		
Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	7.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	21 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	13 mg/m ³
Long term – Systemic effects - Workers	Inhalation	74.1 mg/m ³
Long term – Systemic effects - General population	Oral	7.5 mg/kg bw/day

Sodium carbonate

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Inhalation	5 mg/m³
Long term – Local effects - Workers	Inhalation	10 mg/m³

Sodium dodecylbenzenesulfonate

Duration	Route of exposure	DNEL
Long term – Local effects - General population	Dermal	787 µg/cm²
Long term – Local effects - Workers	Dermal	1.57 mg/cm ²
Long term – Systemic effects - General population	Dermal	28.6 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	57.2 mg/kg bw/day
Short term – Local effects - General population	Dermal	787 µg/cm²
Short term – Local effects - Workers	Dermal	1.57 mg/cm ²
Short term – Systemic effects - General population	Dermal	40 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	80 mg/kg bw/day
Long term – Local effects - General population	Inhalation	26 mg/m³
Long term – Local effects - Workers	Inhalation	52 mg/m³
Long term – Systemic effects - General population	Inhalation	26 mg/m³
Long term – Systemic effects - Workers	Inhalation	52 mg/m³
Short term – Local effects - General population	Inhalation	26 mg/m³
Short term – Local effects - Workers	Inhalation	52 mg/m³
Short term – Systemic effects - General population	Inhalation	26 mg/m³
Short term – Systemic effects - Workers	Inhalation	52 mg/m³
Long term – Systemic effects - General population	Oral	13 mg/kg bw/day
Short term – Systemic effects - General population	Oral	13 mg/kg bw/day

Troclosene sodium

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	1.15 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2.3 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.99 mg/m ³
Long term – Systemic effects - Workers	Inhalation	8.11 mg/m ³
Long term – Systemic effects - General population	Oral	1.15 mg/kg bw/day

PNEC

Route of exposure	Duration of Exposure	PNEC
Freshwater	Continuous	126 µg/L
Freshwater sediment	Continuous	474 µg/kg
Intermittent release (freshwater)	Continuous	460 µg/L
Marine water	Continuous	12.6 µg/L
Marine water sediment	Continuous	47.4 µg/kg
Soil	Continuous	20.8 µg/kg

Sodium dodecylbenzenesulfonate

Route of exposure	Duration of Exposure	PNEC
Air		10 mg/m³
Freshwater		693 µg/L



Freshwater sediment	27.5 mg/kg
Intermittent release (freshwater)	654 μg/L
Marine water	1 mg/L
Marine water sediment	2.75 mg/kg
Predators	20 mg/kg
Sewage treatment plant	50 mg/L
Soil	25 mg/kg

Troclosene sodium

Route of exposure	Duration of Exposure	PNEC
Freshwater	Continuous	170 ng/L
Freshwater sediment	Continuous	7.56 mg/kg
Intermittent release (freshwater)	Continuous	1.7 μg/L
Marine water	Continuous	1.52 mg/L
Sewage treatment plant	Continuous	590 µg/L
Soil	Continuous	756 µg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Occupational exposure limits have not been defined for the substances in this product.
Appropriate technical measures:	Apply standard precautions during use of the product. Avoid inhalation of gas or dust.
Hygiene measures:	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.
Measures to avoid environmental exposure:	Keep damming materials near the workplace. If possible, collect spillage during work. Keep container tightly sealed when not in use.

8.3. Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

Туре	Class	Colour	Standards	
No specific requirements				

Skin protection:

Skin protection.			
Recommended	Type/Category	Standards	
	·	As determined in an in-use risk assessment for professional use.	



Recommended	Type/Category	Standards	
setting, an in-use risk assessment should determine what is suitable.			

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	type specified through individual	As specified for glove type specified through individual use risk assessment	As specified for glove type specified through individual use risk assessment	

Eye protection:

Туре	Standards		
goggles or face	As determined by specific, an in-use risk assessment. Under normal domestic and professional use, standard safety spectacles are adequate.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	Tablets
Colour:	White
Odour / Odour threshold:	Chlorine
pH:	Testing not relevant or not possible due to the nature of the product.
pH in solution:	4 - 6 @ (1%)
Density (g/cm³):	1.4
Kinematic viscosity:	Not applicable
Particle characteristics:	Not applicable
Phase changes	
Melting point/Freezing point (°C):	Not applicable
Softening point/range (waxes and pastes) (°C):	Does not apply to solids.
Boiling point (°C):	Not applicable
Vapour pressure:	Not applicable
Relative vapour density:	Does not apply to solids.
Decomposition temperature (°C):	Not applicable
Data on fire and explosion hazards	
Flash point (°C):	Not applicable
Ignition (°C):	Not applicable



Auto flammability (°C):

Lower and upper explosion limit (% v/v):

Solubility

Solubility in water: n-octanol/water coefficient: Solubility in fat (g/L):

9.2. Other information

Evaporation rate (n-butylacetate = 100): Other physical and chemical parameters:

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Contact with acids liberates toxic gas. Warning! Do not use in combination with other products. May release dangerous gases (chlorine).

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas. The following materials may react with the product: Alkalis. Organic nitro compounds. Amines. Oxidising agents. Reducing agents. Moisture. Peroxides. Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Avoid the following conditions: Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Flammable/combustible materials. Moisture. Avoid contact with acids and alkalis. Avoid contact with strong oxidising agents. Avoid contact with strong reducing agents. Hydrocarbons. Inorganic nitrates. Inorganic nitrites. Organic compounds.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1. Heating may generate the following products: Carbon monoxide (CO). Oxides of nitrogen. Hydrogen chloride (HCl). Isocyanates. Chlorine.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Not applicable

Not applicable

Completely soluble Not applicable Not applicable

Not applicable No data available.



Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

None known.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance	Troclosene sodium
Test method	
Species	Fish, Oncorhynchus mykiss
Compartment	
Duration	96 hours
Test	LC50
Result	0,38 mg/L
Other information	_

Product/substance	Troclosene sodium
Test method	
Species	Daphnia, Daphnia magna
Compartment	
Duration	48 hours
Test	EC50
Result	< 1mg NaDCC mg/L
Other information	

- **12.2.** Persistence and degradability No data available.
- **12.3. Bioaccumulative potential** No data available.
- **12.4. Mobility in soil** No data available.



12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties None known.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 4 - Irritant (skin irritation and eye damage) HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity HP 6 - Acute toxicity HP 12 - Release of an acute toxic gas HP 14 - Ecotoxic Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

DisposalDispose of waste to licensed waste disposal site in accordance with the requirements of the
local Waste Disposal Authority.GeneralWaste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in
accordance with the requirements of the local Waste Disposal Authority.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	UN3077	ENVIRONMENTAL LY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium)	Class: 9 Labels: 9 Classification code: M7	III	Yes	Limited quantities: 5 kg Tunnel restriction code: (-) See below for additional information.
IMDG	UN3077	ENVIRONMENTAL LY HAZARDOUS SUBSTANCE,	Class: 9 Labels: 9 Classification	III	Yes	Limited quantities: 5 kg EmS: F-A S-F



SoChlor DST (1.7g NaDCC)

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
		SOLID, N.O.S. (Troclosene sodium)	code: M7			See below for additional information.
IATA	UN3077	ENVIRONMENTAL LY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Troclosene sodium)	Class: 9 Labels: 9 Classification code: M7	III	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

-

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: 2Z

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application: Demands for specific education: SEVESO - Categories / dangerous substances:

None known. No specific requirements. E1 - ENVIRONMENTAL HAZARDS, Qualifying



Biocidal Products Regulations:

 ▼ Restrictions on use: Directions for use and dose rate: Additional information:
Additional information: Sources: quantity (lower-tier): 100 tonnes / (uppertier): 200 tonnes

Product type:

PT2 - Disinfectants and algaecides not intended for direct application to humans or animals, PT4 - Food and feed area

_

-

Not applicable.

Control of Major Accident Hazards (COMAH) Regulations 2015. In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

EUH031, Contact with acids liberates toxic gas.

H272, May intensify fire; oxidiser.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

PC8 = Biocidal Products (e.g. Disinfectants, pest control)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service



CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself/herself as to the suitability of such information for his/her own particular use.

Country-language: GB-en

End of Safety Data Sheet