

# CYTALI POWDER (CTG6) Safety Data Sheet

According to GB and EU REACH and CLP Regulations

Revision date: **07/11/2024** Supersedes date: **26/09/2024** Issue date: **25/11/2021** 

Version: 6.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Product name Cytali Powder

UFI EHM9-9S7A-3NOH-SYX8 (UK use only) (EMM9-9S7A-3NOH-SYX8 (EU use only))

Product code CTG6 (within MJZ000 & MJZ015)

Product description 6g of water soluble powder in white tearable sachet

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 - Relevant identified uses

Main use category Professional use. Consumer use. DETERGENT

Use of the substance/mixture

Not for Oral Consumption, Not for Direct Application to Food Stuffs

1.2.2 - Uses advised against

Restrictions on use

#### 1.3 - Details of the supplier of the safety data sheet

Manufacturer

GV Health Ltd.

Hall House, 2 Arlington Court, Whittle Way, Arlington Business Park, Stevenage, Hertfordshire, SG1

2FS, UK

T: +44(0)1920 463098 | info@gvhealth.com

www.gvhealth.com

1.4 - Emergency telephone number

Emergency number For Immediate first aid advice in the UK call 111.

This product is registered with NPIS in the UK (use UK UFI for NPIS).

# **SECTION 2: Hazards identification**

#### 2.1 - Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

NOTE: - In Use Solutions of this Product are NOT CLASSIFIED.

### 2.2 - Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP)

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

Hazard statements (CLP) H315 - Causes skin irritation.

H319 - Causes serious eye irritation. P102 - Keep out of reach of children. P264 -

Precautionary statements (CLP) Wash skin thoroughly after handling. P280 - Wear eye protection.

Warning

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

# **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

P402 - Store in a dry place.

P501 - Dispose of contents and container to National Regulations.

#### 2.3 - Other hazards

This product does not contain any substances classified as PBT. This product does not contain any substances classified as vPvB.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP] and GB CLP Regulations
Sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498-19	≥ 30 - < 50	Eye lrrit. 2, H319
β-Alanine, N-(2-carboxyethyl)-,N-coco alykyl derivs., Disodium Salt	CAS-No.: 90170-43-7 EC-No.: 290-476-8 REACH-no: 01-2119976233-35	≥ 20 - < 30	Eye lrrit. 2, H319
Sulphamidic acid; Sulphamic acid; Sulfamic acid	CAS-No.: 5329-14-6 EC-No.: 226-218-8 EC Index-No.: 016-026-00-0	≥ 20 - < 30	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Reaction product of Benzene sulphonic acid, C10-C14SEC ALKYL DERIVS and Benzene sulphonic acid 4 methyl and Sodium hydroxide	EC-No.: 932-051-8	≥2-<3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6	≥ 0.5 - < 1.5	Skin Corr. 1A, H314

# Specific concentration limits

Name	Product identifier	Specific concentration limits	
Sodium hydroxide	CAS-No.: 1310-73-2	(0.5≥C<2) Skin lrrit. 2, H315 (0.5≥C<2)	
	EC-No.: 215-185-5	Eye lrrit. 2, H319 (2≥C<5) Skin Corr. 1B, H314	
	EC Index-No.: 011-002-00-6	(5≥C<100) Skin Corr. 1A, H314	

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1 - Description of first aid measures

First-aid measures general

If medical advice is needed, have product container or label at hand. For immediate First Aid advice in the UK, dial 111. When it is safe to do so, remove the victim immediately from the source of exposure. However, consideration should be given as to whether moving the victim will cause further injury.

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

First-aid measures after inhalation Unlikely without deliberate abuse. Move the affected person to the fresh air. If unconscious place in

recovery position and seek medical advice.

First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention. If unconscious,

place in the recovery position and seek medical advice.

#### 4.2 - Most important symptoms and effects, both acute and delayed

Neat product will cause irritation to eyes. Dilute solutions are unclassified, but may cause Symptoms/effects

transient irritation. Eye contact should be treated as above

Unlikely route of exposure, but inhalation of dilute solution droplets may result in a sore Symptoms/effects after inhalation

throat.

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Eve irritation.

Symptoms/effects after ingestion Unlikely route of exposure without deliberate abuse. If sachets are swallowed they may swell and

 $could \ block the \ throat \ and \ GI \ tract. \ Irritation \ to \ the \ mouth \ and \ GI \ tract \ could \ occur, \ a \ soapy \ taste$ may be reported. Ingestion of diluted solution is unlikely to cause long term harm, but a soapy taste

may be reported.

#### 4.3 - Indication of any immediate medical attention and special treatment needed

Rinse with plenty of water. Check for abrasion to the surface of the eye from powder particles.

#### **SECTION 5: Firefighting measures**

#### 5.1 - Extinguishing media Suitable extinguishing media

Unsuitable extinguishing media

#### 5.2 - Special hazards arising from the substance or mixture

Fire hazard The product is not flammable.

Hazardous decomposition products in case of fire On heating, irritating fumes may be produced.

5.3 - Advice for firefighters

Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

Use extinguishing agent suitable for surrounding fire. Water.

# **SECTION 6: Accidental release measures**

# 6.1 - Personal precautions, protective equipment and emergency procedures

#### 6.1.1 - For non-emergency personnel

Protective equipment Emergency Wear protective clothing as described in section 8 of this SOS. Avoid contact with skin and eyes. procedures

Ventilate spillage area.

6.1.2 - For emergency responders

Do not attempt to take action without suitable protective equipment. For further information refer to Protective equipment

section 8: "Exposure controls/personal protection".

#### 6.2 - Environmental precautions

Normal use solutions can be disposed to sewers and septic tanks. Large scale spillages or uncontrolled discharges into water systems must be reported to the relevant Environment Agency.

#### 6.3 - Methods and material for containment and cleaning up

Methods for cleaning up Collect and place spillage in suitable containers. Seal the containers and apply labeling to

identify the material and hazards. For disposal see section 13 of this SDS.

07/11/2024 (Revision date) GB - en 3/10

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

Other information Dispose of via an authorised person/licensed waste disposal contractor or by other suitable

waste treatment techniques.

#### 6.4 - Reference to other sections

For further information refer to section 13. See sections 2, 8, 12, 13 & 14.

#### **SECTION 7: Handling and storage**

#### 7.1 - Precautions for safe handling

Precautions for safe handling Hygiene

measures

Carefully comply with the instructions for use. Avoid contact with eyes. Always

wash hands after handling the product.

#### 7.2 - Conditions for safe storage, including any incompatibilities

Technical measures It is essential that sachets are stored in original packaging in a dry non humid area. Store Storage conditions in a dry place. Store in a closed container.

#### 7.3 - Specific end use(s)

This product is suitable for use for cleaning hard surfaces such as floors and walls. It is compatible with common materials of construction but contact with unsealed wood and Perspex type plastics should be avoided. Although normal use solutions are unclassified, use of eye, hand and foot protection is recommended.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 - Control parameters

#### 8.1.1 - National occupational exposure and biological limit values

#### **CYTALI POWDER**

# United Kingdom - Occupational Exposure Limits

Remark Note general inhalable dust WEL of 10mg/m3 (TWA) and respirable dust WEL of 4mg/m³.

Sodium Hydroxide (1310-73-2)

United Kingdom - Occupational Exposure Limits

Local name Sodium hydroxide WELTWA (OELTWA) [1]  $\geq 2 \text{ mg/m}^3$  WEL STEL (OEL STEL)  $2 \text{ mg/m}^3$ 

Regulatory reference

UK (HSE EH40/2005 (Fourth edition, 2020 Publication)

# 8.1.2-Recommended monitoring procedures

No additional information available

#### 8.1.3 - Air contaminants formed

No additional information available

#### 8.1.4 - DNEL and PNEC

No additional information available

# 8.1.5 - Control banding

No additional information available

# 8.2 - Exposure controls

# 8.2.1 - Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

#### 8.2.2 - Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses.

#### Personal protective equipment symbol(s):





#### 8.2.2.1 - Eye and face protection

#### Eye protection:

Safety glasses. In normal use eye protection is not required. During manufacture and packing operations, eye protection is recommended. Refer to EN166 to select appropriate level of protection.

#### 8.2.2.2 - Skin protection

#### Hand protection:

During normal use gloves are not required. During manufacture and packing operations, the use of gloves with a breakthrough time >60 minutes is recommended. Refer to EN374 to select appropriate level of protection. Rubber and PVC gloves are recommended. NOTE: - Use of gloves is a good general hygiene practice.

#### 8.2.2.3 - Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Note: - This would be very unusual in normal use.

#### 8.2.2.4 - Thermal hazards

No additional information available

# 8.2.3 - Environmental exposure controls

#### **Environmental exposure controls:**

Avoid large scale release of undiluted material to the environment.

### Other information:

The PPE indicated in this SOS is not a COSHH assessment. It represents the PPE that should be considered for the neat product at all stages of the products life cycle, including manufacture, packing, distribution, use and disposal. Use solutions are unclassified, but for these we recommend use of gloves as minimum PPE.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 - Information on basic physical and chemical properties

Physical stateSolidAppearancePowder.ColourBlue.OdourFresh.

Odourthreshold No data available 9.5-10.5@ 1%v/v Relative evaporation rate (butylacetate=1) Melting Not applicable. Not applicable. point Freezing point Not applicable. **Boiling point** Not applicable. Not applicable. Flash point Auto-ignition temperature Not applicable. Decomposition temperature Not applicable. Flammability (solid, gas) Vapour Not flammable. pressure Not applicable. Relative vapour density at 20°c Not applicable. Relative density Not applicable.

Density 0.6 -0.8 g/cm³ Completely Solubility soluble in water. No data

Partition coefficient n-octanol/water (Log Pow) available.

Viscosity, kinematic Not applicable.
Viscosity, dynamic No data available.

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

Explosive properties Product is not explosive.

Oxidising properties Not oxidising. Explosive limits Not applicable.

9.2 Other information

VOC content Contains no VOCs Volatility Non-Volatile

#### **SECTION 10: Stability and reactivity**

#### 10.1 - Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2 - Chemical stability

Stable under normal conditions. Do not mix with other chemicals.

# 10.3 - Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4 - Conditions to avoid

Store away from moisture in a closed container.

#### 10.5 - Incompatible materials

Strong acids. Oxidising agents. Do not mix with Bleach or products containing Sodium hypochlorite, this could result in dangerous heating of the solution.

#### 10.6 - Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

### Alanine, N-(2-carboxyethyl)-, N-coco alykyl derivs., Disodium Salt (90170-43-7)

LD50 oral rat ≈ 2000 m g/kg

# REACTION PRODUCT OF BENZENE SULPHONIC ACID, C10-C14SEC ALKYL DERIVS and BENZENE SULPHONIC ACID 4 METHYL AND SODIUM HYDROXIDE

LD50 oral rat ≥ 3346 mg/kg bodyweight, Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), 95%

CL: 3196 - 3503

LD50 dermal rat > 2000 mg/kg bodyweight, Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal

Toxicity), Remarks on results: other:

Skin corrosion/irritation Causes skin irritation.

pH: 9.5 - 10.5 @ 1%v/v

Serious eye damage/irritation Causes serious eye irritation. pH:

9.5 - 10.5 @ 1%v/v

Respiratory or skin sensitisation Not classified Germ cell mutagenicity Not classified

Carcinogenicity This mixture is not classified as a carcinogen.

Reproductive toxicity

This mixture has no reproductive/foetal harm classifications and is not expected to be a risk to

expectant mothers.

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

STOT-single exposure Not classified STOT-repeated exposure Not classified Aspiration hazard Not classified

**CYTALI POWDER** 

Viscosity, kinematic Not applicable Not

Sodium carbonate (497-19-8)

Viscosity, kinematic applicable

# REACTION PRODUCT OF BENZENE SULPHONIC ACID, C10-C14 SEC ALKYL DERIVS and BENZENE SULPHONIC ACID 4 METHYL AND SODIUM

**HYDROXIDE** 

Viscosity, kinematic Not applicable

# **SECTION 12: Ecological information**

12.1 - Toxicity

Ecology - general Normal use solutions of this product are not classified for environmental harm. Not

Hazardous to the aquatic environment, short-term classified

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

Not classified.

# REACTION PRODUCT OF BENZENE SULPHONIC ACID, C10-C14 SEC ALKYL DERIVS and BENZENE SULPHONIC ACID 4 METHYL AND SODIUM

**HYDROXIDE** 

EC50 - Crustacea [1] 8.8 mg/l Test organisms (species): Daphnia magna

EC50 72h - Algae [1] 25 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus

subspicatus)

EC5072h - Algae [2] 72 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus

subspicatus)

NOEC (chronic) 1.18 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

NOEC chronic fish 0.23 mg/I Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration:

'72 d'

# 12.2 - Persistence and degradability

**CYTALI POWDER** 

Persistence and degradability The Surfactants and Chelants used in this mixture are Biodegradable.

#### 12.3 - Bioaccumulative potential

CYTALI POWDER

Bioaccumulative potential Not expected to Bioaccumulate.

12.4 - Mobility in soil

CYTALI POWDER
Additional information
Soluble in water

# 12.5 - Results of PST and vPvB assessment

### CYTALI POWDER

This product does not contain any substances classified as PBT

# **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

#### **CYTALI POWDER**

This product does not contain any substances classified as vPvB.

#### 12.6 - Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1 - Waste treatment methods

Waste treatment methods Sewage disposal recommendations Disposal of this product must comply with local and national environmental legislation. Small volumes of use solution can be disposed of to sewage drains.

# **SECTION 14: Transport information**

In accordance with ADR/IMDG/IATA/ADN/RID

ADR	IMDG	IATA	ADN	RID
14.1 - UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2 - UN proper ship	ping name	I	L	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3 - Transport haza	rd class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4 - Packing group				
Notapplicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5 - Environmental	hazards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

No supplementary information available

# 14.6 - Special precautions for user

#### Overland transport

Not applicable

### Transport by sea

Not applicable

# Air transport

Not applicable

# Inland waterway transport

Not applicable

# ${\bf Rail\, transport}$

Not applicable

# 14.7-Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

24/01/2023 (Revision date) GB-en 8/10

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

#### **SECTION 15: Regulatory information**

#### 15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 - EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content Contains no VOCs

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2 - National regulations

GB REACH and CLP regulations.

UK HSE EH40 Publication.

#### 15.2 - Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

#### Indication of changes:

Inclusion of EU UFI code and additional comments in section 7.

#### Abbreviations and acronyms:

AON European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration factor
BLV Biological limit value

BOD Biochemical oxygen demand (BOD)
COD Chemical oxygen demand (COD)
DMEL Derived Minimal Effect level
DNEL Derived-No Effect Level
EC-No. European Community number

24/01/2023 (Revision date) GB-en 9/10

#### **Safety Data Sheet**

According to GB and EU REACH and CLP Regulations

EC50 Median effective concentration

EN European Standard

IARC International Agency for Research on Cancer IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Median

LC50 lethal concentration LD50 Median lethal dose

LOAEL Lowest Observed Adverse Effect Level No-NOAEC Observed Adverse Effect Concentration No-

NOAEL Observed Adverse Effect Level
NOEC No-Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development Occupational

OEL Exposure Limit

PBT Persistent Bioaccumulative Toxic
PNEC Predicted No-Effect Concentration

RID Regulations concerning the International Carriage of Dangerous Goods by Rail Safety

SDS Data Sheet

STP Sewage treatment plant Theoretical ThOD oxygen demand (ThOD) Median

TLM Tolerance Limit

VOC Volatile Organic Compounds
GAS-No. Chemical Abstract Service number
N.O.S. Not Otherwise Specified

vPvB Very Persistent and Very Bioaccumulative Endocrine

ED disrupting properties

#### Full text of H- and EUH-statements:

Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard, Category 3 Serious

Eye Dam. 1 Eye eye damage/eye irritation, Category 1

Irrit. 2 Serious eye damage/eye irritation, Category 2 Causes H314 severe skin burns and eye damage. Causes skin

H315 irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Skin Corr. 1A Skin corrosion/irritation, Category 1, Sub-Category 1A Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B

Skin Irrit. 2 Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

24/01/2023 (Revision date) GB- en 10/10